

DB  
AS  
ancel  
identification code by a same single physical key;

a data code signal of an extraction step of, when an extraction of an information identification code is indicated in the extraction indication step, extracting an information identification code from the information displayed in the display step;

a data code signal of a storage step of storing the information identification code extracted in the extraction step; and

a data code signal of a transmission step of, when a transmission of an information identification code is indicated in the extraction indication step, transmitting the information identification code stored in the storage step to the external device.

---


REMARKS

Claims 14, 17-20, 22, 24, 26, and 28 are presented for examination, with Claims 14, 22, 24, 26, and 28, the only claims in independent form, having been amended by the present Amendment. Claims 6-13, 21, 23, 25, and 27 have been canceled, without prejudice or disclaimer of the subject matter presented therein.

Favorable consideration and an early and favorable examination on the merits are respectfully requested.

Applicants' undersigned attorney may be reached in our New York Office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address listed below.

Respectfully submitted,

  
Attorney for Applicants  
LOCK SEE YU-JAHNES  
Registration No. 38,667

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
Facsimile: (212) 218-2200

NY\_MAIN 263260 v 1



Application No. 09/547,398  
Attorney Docket No. 00862.021893

VERSION WITH MARKINGS TO SHOW CHANGES MADE TO CLAIMS

Claims 6-13 have been canceled.

14. (Twice Amended) A portable terminal apparatus comprising:

a display for displaying received information;

an indicator for [indicating] performing an extraction of an information

identification code and indicating a transmission of the information identification code to an external device, which acquires information corresponding to the information identification code by a same single physical key;

[a] an extraction unit for, when an extraction of an information identification code is indicated by said indicator, extracting an information identification code from the information displayed by said display;

a memory for storing the information identification code extracted by said extraction unit; and

a transmitter for, when transmission of an information identification code is indicated by said indicator, transmitting the information identification code stored in said memory to the external device.

Claim 21 has been canceled.

22. (Twice Amended) A method of controlling a portable terminal apparatus, said method comprising:

a display step of displaying received information;

an extraction indication step of [indicating] performing an extraction of an information identification code and indicating a transmission of the information identification code to an external device, which acquires information corresponding to the information identification code by a same single physical key;

an extraction step of, when an extraction of an information identification code is indicated in said extraction indication step, extracting an information identification code from the information displayed in said display step;

a storage step of storing the information identification code extracted in said extraction step; and

a transmission step of, when transmission of an information identification code is indicated in said extraction indication step, transmitting the information identification code stored in said storage step to the external device.

Claim 23 has been canceled.

24. (Twice Amended) A computer-readable storage medium storing a program for implementing a method of controlling a portable terminal apparatus, the program comprising:

program code of a display step of displaying received information;

program code of an extraction indication step of [indicating] performing an extraction of an information identification code and indicating a transmission of the information identification code to an external device, which acquires information corresponding to the information identification code by a same single physical key;

program code of an extraction step of, when an extraction of an information identification code is indicated in the extraction indication step, extracting an information identification code from the information displayed in the display step;

program code of a storage step of storing the information identification code extracted in the extraction step; and

program code of a transmission step of, when a transmission of an information identification code is indicated in the extraction indication step, transmitting the information identification code stored in the storage step to the external device.

Claim 25 has been canceled.

26. (Amended) A computer program product embodying a program for implementing a method of controlling a portable terminal apparatus, said program product comprising:

program code of a display step of displaying received information;

program code of an extraction indication step of [indicating] an extraction of an information identification code and indicating a transmission of the information identification

code to an external device, which acquires information corresponding to the information identification code by a same single physical key;

program code of an extraction step of, when an extraction of an information identification code is indicated in the extraction indication step, extracting an information identification code from the information displayed in the display step;

program code of a storage step of storing the information identification code extracted in the extraction step; and

program code of a transmission step of, when a transmission of an information identification code is indicated in the extraction indication step, transmitting the information identification code stored in the storage step to the external device.

Claim 27 has been canceled.

28. (Amended) A computer data signal for controlling a portable terminal apparatus, said signal program comprising:

a data code signal of a display step of displaying received information;

a data code signal of an extraction indication step of [indicating] performing an extraction of an information identification code and indicating a transmission of the information identification code to an external device, which acquires information corresponding to the information identification code by a same single physical key;

a data code signal of an extraction step of, when an extraction of an information

identification code is indicated in the extraction indication step, extracting an information

identification code from the information displayed in the display step;

a data code signal of a storage step of storing the information identification code  
extracted in the extraction step; and

a data code signal of a transmission step of, when a transmission of an  
information identification code is indicated in the extraction indication step, transmitting the  
information identification code stored in the storage step to the external device.

NY\_MAIN 263265 v 1